

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUYNN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVEKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: HTTP://WWW.WNLAW.COM



PATENT
Docket No. 7678.545.2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Fischer

Serial No.: 10/068,788

Filed: Feb. 5, 2003

For: FIBER-COVERED DENTAL DELIVERY
INSTRUMENTS

Examiner: Melba N. Bumgarner

Patent No.: 7,040,893 B2

Issue Date: May 9, 2006

Art Unit
3732

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

Certificate
AUG 28 2006
of Correction

08/24/2006 YPOLITE1 00000014 7040893

01 FC:1811

100.00 0P

AUG 29 2006

R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, Ph.D.
WILLIAM R. RICHTER
ROBERT E. AYCOCK
JENS C. JENKINS
MICHAEL B. DODD
KEVIN W. STINGER
WILLIAM J. ATHAY
RYAN D. BENSON
SARA D. JONES
TIGE KELLER
JANNA L. JENSEN
MATTHEW D. TODD
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
BRETT A. HANSEN
BRETT I. JOHNSON
MATTHEW A. BARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
RYAN N. FARR *
JAMES B. BELSHE
KIRK R. HARRIS
KEELY SCHNEITER
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNS, Ph.D.

VERNON R. RICE §
OF COUNSEL

* Admitted only in California
§ Admitted only in Virginia



Assistant Commissioner for Patents
Page 2

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 18th day of August, 2006.

Respectfully submitted,

Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:slw
Docket No. 7678.545.2
PR0000001722V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 21st day of August, 2006.

Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 000146537 for \$100.00

AUG 29 2006

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUINN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: HTTP://WWW.WNLAW.COM



PATENT
Docket No. 7678.545.2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Fischer

Serial No.: 10/068,788

Filed: Feb. 5, 2003

For: FIBER-COVERED DENTAL DELIVERY
INSTRUMENTS

Examiner: Melba N. Bumgarner

Patent No.: 7,040,893 B2

Issue Date: May 9, 2006

Art Unit
3732

R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, PH.D.
WILLIAM R. RICHTER
ROBERT E. AYCOCK
JENS C. JENKINS
MICHAEL B. DODD
KEVIN W. STINGER
WILLIAM J. ATHAY
RYAN D. BENSON
SARA D. JONES
TIGE KELLER
JANNA L. JENSEN
MATTHEW D. TODD
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
BRETT A. HANSEN
BRETT I. JOHNSON
MATTHEW A. BARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
RYAN N. FARR *
JAMES B. BELSHE
KIRK R. HARRIS
KEELY SCHNEITER
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNS, PH.D.

VERNON R. RICE §
OF COUNSEL

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

AUG 29 2006

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 18th day of August, 2006.

Respectfully submitted,


Rick D. Nydegger
Attorney for Patentee
Registration No. 28,651
Customer No. 022913

RDN:slw
Docket No. 7678.545.2
PR0000001722V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 21st day of August, 2006.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 000 146537 for \$100.00

AUG 29 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,893 B2

DATED : May 9, 2006

INVENTOR(S) : Fischer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Notice, change "177 days" to --143 days--

Drawings

Sheet 18, replace Figure 33 with the figure depicted herein below in which the air bubbles have been labeled with --246--




FIG. 33

Column 3

Line 51, after "elongate" remove [,]

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,040,893 B2

No. of additional copies

→ 0

AUG 29 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,893 B2

DATED : May 9, 2006

INVENTOR(S) : Fischer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 2, change "filly" to --fully--

Line 29, change "cross-sectional" to --cross sectional--

Column 11

Line 30, change "36b" to --42--

Column 13

Line 2, remove [76]

Column 14

Line 16, change "80" to --80a--

Line 26, change "80" to --80a--

Column 16

Line 49, remove [1]

Column 17

Line 45, remove [1]

Column 18

Line 7, after "75 Denier" insert --preferably from--

Line 45, change "by" to --for--

Column 19

Line 45, change "hollow chamber" to --channel--

Line 47, change "hollow chamber" to --channel--

Line 49, change "hollow chamber" to --channel--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,040,893 B2

No. of additional copies

 0

AUG 29 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,893 B2

DATED : May 9, 2006

INVENTOR(S) : Fischer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20

Line 15, change "90b" to --10b--

Line 15, change "arrows" to --arrow--

Line 24, change "11B" to --17B--

Column 22

Line 8, change "92b" to --192b--

Line 37, change "1 94f" to --194f--

Line 57, after "body portion" change "192g" to --192i--

Line 57, after "Grooves" change "192g" to --192i--

Line 58, change "192g" to --192i--

Line 59, change "192g" to --192i--

Line 65, change "Ridges 194j are" to --Ridge 194j and body portion 192j are--

Column 25

Line 2, change "1C" to --2--

Column 27

Line 27, change "smoothen" to --smooth--

Line 27, change "even" to --evenly--

Line 31, after "applicator" insert --,

Column 28

Line 52, change "or" to --of--

MAILING ADDRESS OF SENDER (Please do not use customer number

Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,040,893 B2

No. of additional copies

→ 0

103 29 4000

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,893 B2

DATED : May 9, 2006

INVENTOR(S) : Fischer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Notice, change "177 days" to --143 days--

Drawings

Sheet 18, replace Figure 33 with the figure depicted herein below in which the air bubbles have been labeled with --246--




FIG. 33

Column 3

Line 51, after "elongate" remove [,]

MAILING ADDRESS OF SENDER (Please do not use customer number

Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,040,893 B2

No. of additional copies

→ 0

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,893 B2

DATED : May 9, 2006

INVENTOR(S) : Fischer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 2, change "filly" to --fully--

Line 29, change "cross-sectional" to --cross sectional--

Column 11

Line 30, change "36b" to --42--

Column 13

Line 2, remove [76]

Column 14

Line 16, change "80" to --80a--

Line 26, change "80" to --80a--

Column 16

Line 49, remove [1]

Column 17

Line 45, remove [1]

Column 18

Line 7, after "75 Denier" insert --preferably from--

Line 45, change "by" to --for--

Column 19

Line 45, change "hollow chamber" to --channel--

Line 47, change "hollow chamber" to --channel--

Line 49, change "hollow chamber" to --channel--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,040,893 B2

No. of additional copies

 0

MAY 29 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,040,893 B2

DATED : May 9, 2006

INVENTOR(S) : Fischer

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 20

Line 15, change "90b" to --10b--

Line 15, change "arrows" to --arrow--

Line 24, change "11B" to --17B--

Column 22

Line 8, change "92b" to --192b--

Line 37, change "1 94f" to --194f--

Line 57, after "body portion" change "192g" to --192i--

Line 57, after "Grooves" change "192g" to --192i--

Line 58, change "192g" to --192i--

Line 59, change "192g" to --192i--

Line 65, change "Ridges 194j are" to --Ridge 194j and body portion 192j are--

Column 25

Line 2, change "1C" to --2--

Column 27

Line 27, change "smoothen" to --smooth--

Line 27, change "even" to --evenly--

Line 31, after "applicator" insert --,--

Column 28

Line 52, change "or" to --of--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Rick D. Nydegger
WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

PATENT NO. 7,040,893 B2

No. of additional copies

 0

AUG 29 2006